

Wound Beads



Quick Link: www.fair-rite.com/wb

Table Continued ...

Row #	Part Number	Turns	Wire Size	1st Wire Length	2nd Wire Length	Impedance (Ω)				
						1 MHz	10 MHz ⁺	50 MHz ⁺	100 MHz ⁺	200 MHz
(9)	2944777721	2 x 2½	0.65 22 AWG	38.0 ±3.0 1.500	28.0 ±3.0 1.102	45	375	905	500	400

Higher Frequencies 50-500 MHz (61 material)

Row #	Part Number	✓	Fig.	A	B	C	D	Wt. (g)	Reel Information	
									Pitch mm	Parts 13" Reel
(10)	2961666661	✓	1-1	6.00 ±0.25 0.236	0.75 +0.15 0.032	10.00 ±0.25 0.394	3.50 Ref 0.138 Ref	1.30	-	-
(11)	2961666651	✓	1-2	6.00 ±0.25 0.236	0.75 +0.15 0.032	10.00 ±0.25 0.394	3.50 Ref 0.138 Ref	1.30	-	-
(12)	2961666654	✓	1-2	6.00 ±0.25 0.236	0.75 +0.15 0.032	10.00 ±0.25 0.394	3.50 Ref 0.138 Ref	1.30	12.7	500
(13)	2961666671	✓	1-3	6.00 ±0.25 0.236	0.75 +0.15 0.032	10.00 ±0.25 0.394	3.50 Ref 0.138 Ref	1.40	-	-
(14)	2961666681	✓	1-4	6.00 ±0.25 0.236	0.75 +0.15 0.032	10.00 ±0.25 0.394	3.50 Ref 0.138 Ref	1.40	-	-
(15)	2961666631	✓	1-5	6.00 ±0.25 0.236	0.75 +0.15 0.032	10.00 ±0.25 0.394	3.50 Ref 0.138 Ref	1.40	-	-
(16)	2961666634	✓	1-5	6.00 ±0.25 0.236	0.75 +0.15 0.032	10.00 ±0.25 0.394	3.50 Ref 0.138 Ref	1.40	12.7	500

Table Continued ...

Row #	Part Number	Turns	Wire Size	1st Wire Length	2nd Wire Length	Impedance (Ω)				
						10 MHz	50 MHz ⁺	100 MHz ⁺	200 MHz ⁺	400 MHz
(10)	2961666661	1½	0.53 24 AWG	38.0 ±3.0 1.500	-	75	280	380	510	600
(11)	2961666651	2	0.53 24 AWG	38.0 ±3.0 1.500	-	100	400	560	760	700
(12)	2961666654	2	0.53 24 AWG	38.0 ±3.0 1.500	-	100	400	560	760	700
(13)	2961666671	2½	0.53 24 AWG	38.0 ±3.0 1.500	-	150	560	780	960	600
(14)	2961666681	2 x 1½	0.53 24 AWG	38.0 ±3.0 1.500	28.0 ±3.0 1.102	75	280	380	510	600
(15)	2961666631	3	0.53 24 AWG	38.0 ±3.0 1.500	-	175	700	1000	1100	625
(16)	2961666634	3	0.53 24 AWG	38.0 ±3.0 1.500	-	175	700	1000	1100	625

Fair-Rite Products Corp. PO Box J, One Commercial Row, Walkkill, NY 12589-0288