

Miscellaneous Suppression Cores (2643165151)



Part Number: 2643165151

43 SPLIT ROUND CABLE CORE

Explanation of Part Numbers:

- Digits 1 & 2 = Product Class
- Digits 3 & 4 = Material Grade

Fair- Rite has tooled several special core geometries in the 43 & 77 material for suppression of conducted EMI.

For any non- catalog suppression core design feel free to contact our customer service or application group for feasibility and availability.

[Catalog Drawing](#)

[3D Model](#)

The “C” dimension, the core length, can be modified to suit specific applications.

Weight: 109 (g)

Dim	mm	mm tol	nominal inch	inch misc.
A	82.6	±1.60	3.25	—
B	13.1	±0.30	0.516	—
C	28	±0.70	1.1	—
D	12.95	±0.25	0.51	—
E	19.05	±0.40	0.75	—





Chart Legend

- + Test frequency
- Figures 3 & 4 tested in pairs

Typical Impedance (Ω)	
10 MHz	100
25 MHz ⁺	163
100 MHz ⁺	280
250 MHz	340

These suppression cores are controlled for impedance only. The minimum impedance is typically the listed impedance less 20%. Single turns tests are performed on the 4193A Vector Impedance Analyzer with the shortest practical wire length.

2643165151



Impedance, reactance, and resistance vs. frequency.