


** Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

UNCONTROLLED ~CATALOG~ DRAWING

SIZE	PART NO.	REV.
B	2743012201	~



ELECTRICAL SPECIFICATIONS

IMPEDANCE (OHMS)	
25 MHz	100 MHz
154 Min.	217 Min.

D1-D2
 ± 1.5 Max
 $\pm .059$ Max

Ø A
 9.80 ± 0.3
 .386

DIMENSIONS
BOLD NUMBERS ARE IN MILLIMETERS
 LIGHT NUMBERS ARE IN INCHES

NOTES:

- 1 - PARTS TO MEET FAIR-RITE PRODUCTS CORP. GENERIC VISUAL INSPECTION CRITERIA FOR SHIELD BEADS.
- 2 - IMPEDANCE MEASURED ON A HP4193A, USING AN 04193-87001 PROBE KIT WITH A WIRE LENGTH OF **25.4mm** [1"].
- 3 - PART MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-55 SPECIFICATION FOR THERMAL SHOCK RESISTANCE.
- 4 - WIRE MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-57, SPECIFICATION FOR SOLDERABILITY.
- 5 - PART IS BULK PACKAGED

FR# 43

FAIR-RITE PRODUCTS CORP.				
TITLE				
BEAD-ON-LEAD ASSEMBLY				
DRAWN BY J.SERENCIS	DATE 07-02-2018	SIZE	PART NO.	REV.
CHKD BY		B	2743012201	~
APPRVD BY		SCALE:	NONE	SHEET 1 OF 1