


\*\* Not all features are shown in this drawing. For more detailed information, please contact your Fair-Rite representative.

UNCONTROLLED ~CATALOG~ DRAWING

SIZE	PART NO.	REV.
B	2773007112	~



D1-D2  
 $\pm 1.5$  Max  
 $\pm .059$  Max

ELECTRICAL SPECIFICATIONS

IMPEDANCE (OHMS)	
10 MHz	25 MHz
88 Min.	92 Min.

DIMENSIONS  
**BOLD NUMBERS ARE IN MILLIMETERS**  
 LIGHT NUMBERS ARE IN INCHES

NOTES:

- 1 - PARTS TO MEET FAIR-RITE PRODUCTS CORP. GENERIC VISUAL INSPECTION CRITERIA FOR SHIELD BEADS.
- 2 - IMPEDANCE MEASURED ON A HP4193A, USING AN 04193-87001 PROBE KIT WITH A WIRE LENGTH OF 25.4mm [1"].
- 3 - PART MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-55 SPECIFICATION FOR THERMAL SHOCK RESISTANCE.
- 4 - WIRE MEETS FAIR-RITE PRODUCTS CORP. SOP# ELC-57, SPECIFICATION FOR SOLDERABILITY.
- 5 - PART IS TAPED & REELED PER IEC 60286-1 & EIA RS296-F STANDARDS.

FR# 73

<b>FAIR-RITE PRODUCTS CORP.</b>				
TITLE				
BEAD-ON-LEAD ASSEMBLY				
DRAWN BY J.SERENCIS	DATE 07-02-2018	SIZE	PART NO.	REV.
CHKD BY		B	2773007112	~
APPRVD BY		SCALE: NONE	SHEET 1 OF 1	